

2021 VERMONT HIV CARE & PREVENTION SERVICES PERFORMANCE DASHBOARD

Performance Evaluation of CDC Core Activity Goals in Vermont

Table 1. CDC CORE ACTIVITY - Goal One, Outcome 1.1.								
GOAL ONE: Identify persons with HIV infection and uninfected persons at risk for HIV infection.								
(1)1. Outcome: Increased number of persons aware of their HIV status. <i>[Vermont Targeted Testing Population: MSM]</i>	SELECTED INDICATORS	PERFORMANCE TO GOAL: ⇒ Meeting ↑ Exceeding ↓ Not Meeting						
		Q #1	Q #2	Q #3	Q #4	YTD	GOAL	P-TO-G
TRL+: MSM tested for HIV through Testing, Referral, Linkage - Enhanced (TRL+) [n]	MSM TESTED [n]	0	0	0	0	0	200	↓↓
TRL+: MSM with reactive HIV test linked to confirmatory testing within 30 days [n,%] <i>Predicated on tests performed.</i>	REACTIVE LINKED to CONFIRMATORY w/in 30 DAYS [n,%]	NA	NA	NA	NA	NA	100%	NA

Table 2. CDC CORE ACTIVITY - Goal One, Outcome 1.2.								
GOAL ONE: Identify persons with HIV infection and uninfected persons at risk for HIV infection.								
(1)2. Outcome: Increased participation in HIV partner services among persons with diagnosed HIV infection.	SELECTED INDICATORS	PERFORMANCE-TO-GOAL: ⇒ Meeting ↑ Exceeding ↓ Not Meeting						
		Q #1	Q #2	Q #3	Q #4	YTD	GOAL	P-TO-G
PS: PLWDHI referred to Partner Services, total all categories below [n]	ALL PS-REFERRALS [n]	1	0	1	1	3	NG	NA
○ TRL+: Refer all Reactive Tests [n,%]	TRL PS-REFERRALS [n,%]	0/0, 0%	0/0, 0%	0/0, 0%	0/0, 0%	0/0, 0%	100%	NA
○ Medical Case Management [n]	MCM PS-REFERRALS [n]	1	0	1	1	3	NG	NA
○ PS: Refer all served with Psychosocial Support not engaged in medical care [n,%]	PSS PS-REFERRALS [n,%]	0/0, 0%	0/0, 0%	0/0, 0%	0/0, 0%	0/0, 0%	100%	NA

TABLES 1 & 2 ABBREVIATIONS KEY • PLWDHI: People Living with Diagnosed HIV Infection. MSM: Men who have Sex with Men. TRL+: HIV Testing, Referral, Linkage Enhanced. PS: Partner Services. MCM: Medical Case Management. PSS: Psychosocial Support. Q#: Year Quarter. YTD: Year to Date. NG: No Goal, refers to services wherein tracking conducted via count of individuals served, with no numerical expectation. NA: Not Applicable. P-TO-G: Progress-to-Goal.

Table 3. CDC CORE ACTIVITY - Goal Two, Outcome 2.1.								
GOAL TWO: Provide comprehensive HIV-related prevention services for persons living with diagnosed HIV infection.								
(2)1. Outcome: Increased linkage to and retention in HIV medical care among PLWDHI.	SELECTED INDICATORS	PERFORMANCE TO GOAL: ⇒ Meeting ↑ Exceeding ↓ Not Meeting						
		Q #1	Q #2	Q #3	Q #4	YTD	GOAL	P-TO-G
TRL+: MSM with reactive test through TRL+ [n]	MSM w/REACTIVE HIV TEST [n]	0	0	0	0	0	NG	NA
TRL+: MSM with reactive HIV test linked to confirmatory testing within 30 days [n,%] <i>Predicated on tests performed.</i>	REACTIVE LINKED to CONFIRMATORY w/in 30 DAYS [n,%]	NA	NA	NA	NA	NA	100%	NA
NMCM: PLWDHI served in Non-Medical Case Management , with at least 1 medical appointment within last 12 months [n,%]	NMCM-SERVED w/1 MEDICAL APPOINTMENT w/in 12 MONTHS [n,%]	252, 95%	250, 95%	256, 96%	254, 95%	95%	90%	↑↑
PSS: PLWDHI served with Psychosocial Support , engaged in medical care [n,%]	PSS-SERVED ENGAGED IN MEDICAL CARE [n,%]	29/29, 100%	29/29, 100%	34/34, 100%	29/29, 100%	121/121 100%	100%	⇒
OPAC: Unique PLWDHI receiving any OPAC , with at least 1 medical visit w/in last 12 months, annual total [n,%]	OPAC-SERVED w/1 MEDICAL APPOINTMENT w/in 12 MONTHS [n,%]				404/404 100%	404/404 100%	90%	⇒

TABLE 3 ABBREVIATIONS KEY • **PLWDHI:** People Living with Diagnosed HIV Infection. **MSM:** Men who have Sex with Men. **TRL+:** HIV Testing, Referral, Linkage Enhanced. **NMCM:** Non-Medical Case Management. **PSS:** Psychosocial Support. **OPAC:** Outpatient Ambulatory Care. **Q#:** Year Quarter. **YTD:** Year to Date. **NG:** No Goal, refers to services wherein a count of individuals served is reported with no expectation of reaching a specific number in 12 month grant period. **NA:** Not Applicable. **P-TO-G:** Progress-to-Goal.

Table 4. CDC CORE ACTIVITY - Goal Two, Outcome 2.2.

GOAL TWO:		Provide comprehensive HIV-related prevention services for persons living with diagnosed HIV infection.						
(2)2. Outcome: Increased HIV viral load suppression among PLWDHI	SELECTED INDICATORS	PERFORMANCE TO GOAL: ⇒ Meeting ↑ Exceeding ↓ Not Meeting						
		Q #1	Q #2	Q #3	Q #4	YTD	GOAL	P-TO-G
MCM: PLWDHI served in Medical Case Management [n] <i>Counted quarterly as service occurs; no goal. Year to Date totals unique served.</i>	PLWDHI SERVED w/MCM [n]	194	186	186	213	392	NG	NA
MCM: PLWDHI served in MCM prescribed antiretrovirals [n,%] <i>Reported annually.</i>	PLWDHI PRESCRIBED ANTIRETROVIRALS [n,%]				387/392, 99%	387/392, 99%	100%	↓↓
MCM: PLWDHI on HAART with viral load >200 linked to adherence counseling [n] <i>Counted quarterly as occurs; no goal. Year to Date totals unique served.</i>	PLWDHI ON HAART w/VL >200 LINKED TO ADHERENCE COUNSELING [n]	9	11	7	11	27	NG	NA
MCM: PLWDHI on HAART w/viral load >200 linked to adherence counseling two (2) or more times [n,%] <i>Reported annually.</i>	PLWDHI ON HAART w/VL >200 LINKED TO ADHERENCE COUNSELING 2 OR MORE TIMES [n,%]				22/27, 81%	22/27, 81%	90%	↓↓
NMCM: PLWDHI in danger of termination due to inactivity [n] <i>Counted quarterly as occurs; no goal.</i>	PLWDHI IN DANGER OF TERMINATION FOR INACTIVITY [n]	0	0	3	1	4	NG	NA
NMCM: PLWDHI fell out of medical care [n] <i>Counted quarterly as occurs/no goal.</i>	PLWDHI FELL OUT OF MEDICAL CARE [n]	0	0	0	1	1	NG	NA
NMCM: PLWDHI never linked to medical care [n] <i>Counted quarterly; no goal.</i>	PLWDHI NEVER LINKED TO MEDICAL CARE [n]	0	0	0	0	0	NG	NA
NMCM: PLWDHI not in, falling out of, or in danger of termination of care who were focus of consultation between CM & DIS [n,%]	PLWDHI NOT IN/FALLING OUT OF MEDICAL CARE DISCUSSED BY CM & DIS [n,%]	0/0, 0%	0/0, 0%	3/3, 100%	0 /1, 0%	3/4, 75%	100%	↓↓

TABLE 4 ABBREVIATIONS KEY • PLWDHI: People Living with Diagnosed HIV Infection. **MSM:** Men who have Sex with Men. **MCM:** Medical Case Management. **NMCM:** Non-Medical Case Management. **HAART:** Highly-Active Antiretroviral Treatment. **CM:** Case Manager. **DIS:** Disease Intervention Specialist. **Q#:** Year Quarter. **YTD:** Year to Date. **NG:** No Goal, refers to services wherein a count of individuals served is reported with no expectation of reaching a specific number in 12 month grant period. **NA:** Not Applicable. **P-TO-G:** Progress-to-Goal.

Table 5. CDC CORE ACTIVITY – Goal Two, Outcome 2.3.

GOAL TWO:		Provide comprehensive HIV-related prevention services for persons living with diagnosed HIV infection.						
(2)3. Outcome: Decreased risk behaviors among PLWDHI at risk for transmission	SELECTED INDICATORS	PERFORMANCE TO GOAL: ⇒ Meeting ↑ Exceeding ↓ Not Meeting						
		Q #1	Q #2	Q #3	Q #4	YTD	GOAL	P-TO-G
NMCM: PLWDHI served with NMCM this quarter [n] <i>Counted quarterly, no goal.</i>	PLWDHI SERVED w/NMCM [n]	264	264	267	266	NA	NG	NA
NMCM: PLWDHI receiving <i>Emergency Financial Assistance</i> [n] <i>Counted quarterly as occurs, no goal.</i>	PLWDHI SERVED w/NMCM RECEIVING EFA [n]	94	99	106	129	NA	NG	NA
NMCM: PLWDHI receiving <i>EFA</i> , stably housed this quarter [n,%]	PLWDHI RECEIVING EFA & STABLY HOUSED [n,%]	90/94, 96%	94/99, 95%	102/109, 6%	123/129, 95%	96%	90%	↑↑
MP: Unique MSM participating in MGroup [n]	MSM PARTICIPATING IN MGROUP [n,%]	15	17	10	0	42	51	↓↓
MP: MSM participating in MP+ Group [n]	MSM PARTICIPATING IN MP+ GROUP [n]	0	3	6	0	9	14	↓↓
OPAC: PLWDHI served with OPAC [n] <i>Counted quarterly as occurs, no goal. Year to Date totals unique individuals served.</i>	PLWDHI SERVED w/OPAC [n]	164	179	178	205	404	NG	NA
OPAC: Unique PLWDHI receiving any OPAC, with at least 1 medical visit w/in last 12 months, annual total [n,%]	PLWDHI SERVED w/OPAC w/MEDICAL VISIT IN LAST 12 MONTHS [n,%]				404/404, 100%	404/404, 100%	90%	↑↑
OPAC: MSM Living With HIV receiving any OPAC [n]	HIV+ MSM SERVED w/OPAC [n]	110	120	123	135	NA	NG	NA
OPAC: HIV+ MSM screened for and identifying sexual risk, tested for gonorrhea [n,%]	HIV+ MSM SERVED w/OPAC TESTED FOR GONORRHEA [n,%]	29/46, 63%	24/8, 27%	28/50, 56%	17/63, 27%	98/247, 40%	50%	↓↓
OPAC: HIV+ MSM, screened and identifying sexual risk, tested for syphilis [n,%]	HIV+ MSM SERVED w/OPAC TESTED FOR SYPHILIS [n,%]	36/46, 78%	44/88, 50%	38/50, 76%	11/63, 17%	118/184, 55%	50%	↑↑

OPAC: PLWDHI with suppressed viral load <200cp/ml, drawn within last 12 months [n,%]	OPAC-SERVED PLWDHI w/VIRAL LOAD < 200 [n,%]	216/2 25, 96%	228/2 36, 97%	218/2 28, 96%	237/2 56, 93%	96%	90%	↑↑
OPAC: Newly diagnosed HIV+ patients prescribed antiretrovirals w/in 3 months of diagnosis [n,%]	NEWLY DIAGNOSED PRESCRIBED ARV w/in 3 MONTHS [n,%]				5/5, 100%	5/5, 100%	95%	↑↑
MH: New PLWDHI receiving mental health screening [n,%]	PLWDHI RECEIVING MENTAL HEALTH SCREENING [n,%]	5 of 5/ 100%	10 of 10/ 100%	9 of 9/ 100%	6 of 6/ 100%	30/30, 100%	100%	→
MH: HIV+ patients receiving mental health treatment services <i>Quarterly count as service occurs; no goal. Year to Date is total unique individuals served.</i>	PLWDHI RECEIVING MENTAL HEALTH TREATMENT SERVICES [n,%]	54, 28%	50, 27%	54, 29%	57, 27%	90, 42%	NA	NA
MH: HIV+ patients receiving mental health treatment services, with at least one medical visit, annual total [n,%]	PLWDHI RECEIVING MH TREATMENT w/1 MEDICAL VISIT [n,%]				86/90, 96%	86/90, 96%	100%	↓↓

TABLE 5 ABBREVIATIONS KEY • **PLWDHI:** People Living with Diagnosed HIV Infection. **MSM:** Men who have Sex with Men. **TRL+:** HIV Testing, Referral, Linkage Enhanced. **PS:** Partner Services. **NMCM:** Non-medical Case Management **OPAC:** Outpatient Ambulatory Care. **MP:** Mpowerment, a CDC-endorsed high impact prevention program for MSM. **MG:** MGroup, a prevention activity of Mpowerment. **MP+:** An Mpowerment MGroup for MSM living with HIV. **MH:** Mental Health. **Q#:** Year Quarter. **YTD:** Year to Date. **NG:** No Goal, refers to services wherein a count of individuals served is reported with no expectation of reaching a specific number in 12 month grant period. **NA:** Not Applicable. **P-TO-G:** Progress-to-Goal.

Table 6. CDC CORE ACTIVITY – Goal Three, Outcome 3.1.								
GOAL THREE:		Provide comprehensive HIV-related prevention services for HIV-negative persons at risk for HIV infection.						
(3)1. Outcome: Increased referral of persons eligible for PrEP.	SELECTED INDICATORS	PERFORMANCE TO GOAL: ⇒ Meeting ↑ Exceeding ↓ Not Meeting						
		Q #1	Q #2	Q #3	Q #4	YTD	GOAL	P-TO-G
TRL+: MSM tested for HIV through TRL +, Prime Vendor Enhanced [n]	MSM TESTED [n]	0	0	0	0	0	200	↓↓
TRL+: MSM tested for HIV, assessed with CDC Risk Assessment Tool [n,%]	MSM ASSESSED w/CDC RISK TOOL [n,%]	NA	NA	NA	NA	NA	100%	NA
TRL+: MSM receiving score warranting PrEP referral [n,%] <i>Quarterly count as occurs; no goal.</i>	MSM w/RISK TOOL SCORE WARRANTING PrEP REFERRAL [n,%]	NA	NA	NA	NA	NA	NA	NA

Table 7. CDC CORE ACTIVITY – Goal Three, Outcome 3.2.								
GOAL THREE:		Provide comprehensive HIV-related prevention services for HIV-negative persons at risk for HIV infection.						
(3)2. Outcome: Increased prescription of PrEP to persons for whom PrEP is indicated.	SELECTED INDICATORS	PERFORMANCE TO GOAL: ⇒ Meeting ↑ Exceeding ↓ Not Meeting						
		Q #1	Q #2	Q #3	Q #4	YTD	GOAL	P-TO-G
TRL+: MSM w/score warranting PrEP referral, offered referral to PrEP services [n,%]	MSM WARRANTING PrEP REFERRAL, RECEIVING REFERRAL [n,%]	NA	NA	NA	NA	NA	100%	NA
TRL+: MSM offered referral to PrEP services, accepted referral [n] <i>Quarterly count as occurs; no goal.</i>	MSM REFERRED TO PrEP, ACCEPTING REFERRAL [n]	NA	NA	NA	NA	NA	NG	NA
TRL+: MSM accepting referral to PrEP, linked to medical setting for PrEP care [n,%]	MSM REFERRED TO PrEP, LINKED [n,%]	NA	NA	NA	NA	NA	100%	NA

TABLES 6 & 7 ABBREVIATIONS KEY • PLWDHI: People Living with Diagnosed HIV Infection. **MSM:** Men who have Sex with Men. **TRL+:** HIV Testing, Referral, Linkage Enhanced. **PrEP:** Pre-exposure Prophylaxis. **Q#:** Year Quarter. **YTD:** Year to Date. **NG:** No Goal, refers to services wherein a count of individuals served is reported with no expectation of reaching a specific number in 12 month grant period. **NA:** Not Applicable. **P-TO-G:** Progress-to-Goal.

Table 8. CDC CORE ACTIVITY – Goal 4, Outcome 1.

GOAL FOUR: Conduct community-level HIV prevention activities.								
(4)1. Outcome: Increased access to Syringe Service Programs for persons who inject drugs (PWID).	SELECTED INDICATORS	PERFORMANCE TO GOAL: ⇒ Meeting ↑ Exceeding ↓ Not Meeting						
		Q #1	Q #2	Q #3	Q #4	YTD	GOAL	P-TO-G
SSP: Unduplicated PWID served with SSP across all sites [n] <i>Quarterly count as service occurs; no goal; each individual served is counted once per quarter. Year to Date is total unique individuals served, annually.</i>	UNDUPLICATED PWID SERVED w/SSP [n]	367	410	1027	1010	2400	NG	NA
SSP: Unique PWID served YTD [n] <i>Quarterly count as service occurs; no goal; each individual served counted once per year. Year to Date is total unique individuals served, annually.</i>	UNIQUE PWID SERVED w/SSP YTD [n]	367	535	689	809	2400	NG	NA
SSP: Unique PWID served, new to SSP [n] <i>Quarterly count as service occurs; no goal; each individual served counted once per year. Year to Date is total unique individuals served, annually.</i>	UNIQUE PWID SERVED, NEW to SSP [n]	115	121	143	128	507	NG	NA
SSP: All visits across all sites [n] <i>Cumulative count as occurs; no goal; every visit by every member is counted.</i>	ALL VISITS/ALL SITES [n]	1994	2284	2570	2489	9337	NG	NA
SSP: Hours of Operation, all sites [n]	HOURS [n]	1669	1663	2091	2269	7584	NG	NA
SSP: Days of Operation, all sites [n]	DAYS [n]	325	334	413	363	1435	NG	NA
SSP: PWID tested for Hepatitis C [n]	HCV TESTS [n]	5	0	2	5	12	NG	NA
SSP: PWID tested reactive for HCV [n]	REACTIVE HCV TESTS [n]	2	NA	2	4	8	NG	NA
SSP: PWID served expressing readiness for MAT or SUD treatment [n] <i>Counted as occurs, no goal; each individual served counted every time that person expresses readiness.</i>	MEMBERS SERVED w/INTEREST IN MAT/SUD TX [n]	47	92	52	50	241/2400, 10%	NG	NA
SSP: PWID served expressing readiness for MAT/SUD treatment, offered referral [n,%]	PWID w/INTEREST in MAT/SUD TX REFERRED [n,%]	52	108	63	61	284/241, 100%+	NG	NA
SSP: Unique PWID served completing CDC PWID Risk Assessment Tool [n]	UNIQUE PWID COMPLETEING CDC RISK TOOL [n,%]	101	75	91	90	357	NG	NA
SSP: PWID scoring greater than 46 on PWID Risk Assessment Tool [n,%]	PWID SCORING 46+ on CDC RISK TOOL [n,%]	39/101, 39%	22/75, 29%	19/91, 21%	38/90, 42%	118/357, 33%	NG	NA

SSP: PWID scoring 46 or above on PWID Risk Assessment Tool, referred to PrEP [n,%]	PWID SCORING 46+ REFERRED TO PrEP [n,%]	39/39, 100%	22/22, 100%	19/19, 100%	37/38, 97%	117/118, 99%	NG	NA
SSP: PWID referred to PrEP, linked to PrEP [n,%]	PWID REFERRED TO PrEP, LINKED TO PrEP [n,%]	1/39, 3%	0/22, 0%	1/19, 5%	1/37, 3%	3/117, 3%	NG	NA

TABLE 8 ABBREVIATIONS KEY • **PWID:** People Who Inject Drugs. **SSP:** Syringe Services Programs. **MAT/SUD TX:** Medication Assisted Treatment and Substance Use Disorder Treatment. **PrEP:** Pre-exposure Prophylaxis. **Q#:** Year Quarter. **YTD:** Year to Date. **NG:** No Goal, refers to services wherein a count of individuals served is reported with no expectation of reaching a specific number in 12 month grant period. **NA:** Not Applicable. **P-TO-G:** Progress-to-Goal.