

2022 VERMONT HIV CARE & PREVENTION SERVICES PERFORMANCE DASHBOARD

Performance Evaluation of CDC Core Activity Goals in Vermont

Table 1. CDC CORE ACTIVITY - Goal One, Outcome 1.1.								
GOAL ONE: Identify persons with HIV infection and uninfected persons at risk for HIV infection.								
(1)1. Outcome: Increased number of persons aware of their HIV status. <i>[Vermont Targeted Testing Population: MSM]</i>	SELECTED INDICATORS	PERFORMANCE TO GOAL: ⇒ Meeting ↑ Exceeding ↓ Not Meeting						
		Q #1	Q #2	Q #3	Q #4	YTD	GOAL	P-TO-G
TRL+: MSM tested for HIV through Testing, Referral, Linkage - Enhanced (TRL+) [n]	MSM TESTED [n]	0	2	0	3	5	200	↓↓
TRL+: MSM with reactive HIV test linked to confirmatory testing within 30 days [n,%] <i>Predicated on tests performed.</i>	REACTIVE LINKED to CONFIRMATORY w/in 30 DAYS [n,%]	NA	NA	NA	NA	NA	100%	NA
HIV SELF-TESTING: HIV Self-Test kits mailed/distributed [n]	HIV SELF-TEST KITS DISTRIBUTED [n]	5	6	26	10	47	NG	NA
HIV SELF-TESTING: MSM with reactive test linked to confirmatory within 30 days [n/%]	REACTIVE HIV SELF-TEST LINKED TO CONFIRMATORY [n/%]	1/1	0/0	0/0	0/0	1/1 100%	100%	⇒
(1)1. Outcome, cont.: Increased number of persons aware of their STI status, including HIV. <i>[Vermont Targeted Testing Population: MSM]</i>	SELECTED INDICATORS	PERFORMANCE TO GOAL: ⇒ Meeting ↑ Exceeding ↓ Not Meeting						
		Q #1	Q #2	Q #3	Q #4	YTD	GOAL	P-TO-G
STI/COVID-19 TESTING: Community events at which staff promoted STI/COVID-19 testing [n]	COMMUNITY EVENTS [n]	18	31	35	36	120	NG	NA
STI/COVID-19 TESTING: MSM potentially reached at testing-promotion events [n]	MSM REACHED [n]	409	2110	3429	422	6370	NG	NA
STI/COVID-19 TESTING: MSM referred to STI/COVID-19 testing [n]	MSM REFERRED [n]	82	200	300	120	702	NG	NA

STI/COVID-19 TESTING: MSM referred to STI/COVID-19 testing with recent sex partners with active STI [n]	REFERRED MSM w/RECENT SEX PARTNERS w/ACTIVE STI [n]	5	3	5	3	16	NG	NA
STI/COVID-19 TESTING: MSM with active STI encouraged to notify sex partners [n]	MSM w/ACTIVE STI ENCOURAGED TO NOTIFY [n]	5	3	5	4	17	NG	NA
STI/COVID-19 TESTING: MSM with active STI, or recent partners with active STI, referred to state DIS [n]	MSM REFERRED TO DIS [n]	5	2	3	4	14	NG	NA
STI/COVID-19 TESTING: MSM with active STI, or w/recent partners with active STI, linked with state DIS [n]	MSM LINKED TO DIS [n]	0	0	0	0	0	NG	NA

Table 2. CDC CORE ACTIVITY - Goal One, Outcome 1.2.								
GOAL ONE: Identify persons with HIV infection and uninfected persons at risk for HIV infection.								
(1)2. Outcome: Increased participation in HIV partner services among persons with diagnosed HIV infection.	SELECTED INDICATORS	PERFORMANCE-TO-GOAL: ⇒ Meeting ↑ Exceeding ↓ Not Meeting						
		Q #1	Q #2	Q #3	Q #4	YTD	GOAL	P-TO-G
PS: PLWDHI referred to Partner Services , total all categories below [n]	ALL PS-REFERRALS [n]	0	2	0	0	2	NG	NA
○ TRL+: Refer all Reactive Tests [n,%]	TRL PS-REFERRALS [n,%]	NA	NA	NA	NA	NA	100%	NA
○ Medical Case Management [n]	MCM PS-REFERRALS [n]	0	2	0	0	2	NG	NA
○ PS: Refer all served with Psychosocial Support not engaged in medical care [n,%]	PSS PS-REFERRALS [n,%]	NA	NA	NA	NA	NA	100%	NA

TABLES 1 & 2 ABBREVIATIONS KEY • PLWDHI: People Living with Diagnosed HIV Infection. **MSM:** Men who have Sex with Men. **TRL+:** HIV Testing, Referral, Linkage Enhanced. **STI:** Sexually Transmitted Infection. **DIS:** Disease Intervention Specialist. **PS:** Partner Services. **MCM:** Medical Case Management. **PSS:** Psychosocial Support. **Q#:** Reporting Year Quarter. **YTD:** Reporting Year Year-to-Date. **NG:** No Goal, refers to services wherein tracking conducted via count of individuals served, with no numerical expectation. **NA:** Not Applicable. **P-TO-G:** Progress-to-Goal.

Table 3. CDC CORE ACTIVITY - Goal Two, Outcome 2.1.								
GOAL TWO: Provide comprehensive HIV-related prevention services for persons living with diagnosed HIV infection.								
(2)1. Outcome: Increased linkage to and retention in HIV medical care among PLWDHI.	SELECTED INDICATORS	PERFORMANCE TO GOAL: ⇒ Meeting ↑ Exceeding ↓ Not Meeting						
		Q #1	Q #2	Q #3	Q #4	YTD	GOAL	P-TO-G
TRL+: MSM with reactive test through TRL+ [n]	MSM w/REACTIVE HIV TEST [n]	0	0	0	0	0	NG	NA
TRL+: MSM with reactive HIV test linked to confirmatory testing within 30 days [n,%] <i>Predicated on tests performed.</i>	REACTIVE LINKED to CONFIRMATORY w/in 30 DAYS [n,%]	NA	NA	NA	NA	NA	100%	NA
NMCM: PLWDHI served in Non-Medical Case Management , with at least 1 medical appointment within last 12 months [n,%]	NMCM-SERVED w/1 MEDICAL APPOINTMENT w/in 12 MONTHS [n,%]	246/257, 96%	246/260, 95%	256/263, 97%	250/262, 95%	96%	90%	↑↑
PSS: PLWDHI served with Psychosocial Support , engaged in medical care [n,%]	PSS-SERVED ENGAGED IN MEDICAL CARE [n,%]	32/32, 100%	36/36, 100%	35/35, 100%	31/31, 100%	100%	100%	⇒
OPAC: Unique PLWDHI receiving any OPAC , with at least 1 medical visit w/in last 12 months, annual total [n,%]	OPAC-SERVED w/1 MEDICAL APPOINTMENT w/in 12 MONTHS [n,%]				405/405 100%	405/405 100%	90%	⇒

TABLE 3 ABBREVIATIONS KEY • **PLWDHI:** People Living with Diagnosed HIV Infection. **MSM:** Men who have Sex with Men. **TRL+:** HIV Testing, Referral, Linkage Enhanced. **NMCM:** Non-Medical Case Management. **PSS:** Psychosocial Support. **OPAC:** Outpatient Ambulatory Care. **Q#:** Year Quarter. **YTD:** Year to Date. **NG:** No Goal, refers to services wherein a count of individuals served is reported with no expectation of reaching a specific number in 12 month grant period. **NA:** Not Applicable. **P-TO-G:** Progress-to-Goal.

Table 4. CDC CORE ACTIVITY - Goal Two, Outcome 2.2.								
GOAL TWO:		Provide comprehensive HIV-related prevention services for persons living with diagnosed HIV infection.						
(2)2. Outcome: Increased HIV viral load suppression among PLWDHI	SELECTED INDICATORS	PERFORMANCE TO GOAL: ⇒ Meeting ↑ Exceeding ↓ Not Meeting						
		Q #1	Q #2	Q #3	Q #4	YTD	GOAL	P-TO-G
MCM: PLWDHI served in Medical Case Management [n] <i>Counted quarterly as service occurs; no goal. Year to Date totals unique served.</i>	PLWDHI SERVED w/MCM [n]	228	198	179	187	368	NG	NA
MCM: PLWDHI served in MCM prescribed antiretrovirals [n,%] <i>Reported annually.</i>	PLWDHI PRESCRIBED ANTIRETROVIRALS [n,%]				359/368, 98%	359/368, 98%	100%	⇒*
MCM: PLWDHI on HAART with viral load >200 linked to adherence counseling [n] <i>Counted quarterly as occurs; no goal. Year to Date totals unique served.</i>	PLWDHI ON HAART w/VL >200 LINKED TO ADHERENCE COUNSELING [n]	8	7	5	10	16	NG	NA
MCM: PLWDHI on HAART w/viral load >200 linked to adherence counseling two (2) or more times [n,%] <i>Reported annually.</i>	PLWDHI ON HAART w/VL >200 LINKED TO ADHERENCE COUNSELING 2 OR MORE TIMES [n,%]				10/16, 63%	10/16, 63%	90%	↓↓
NMCM: PLWDHI in danger of termination due to inactivity [n] <i>Counted quarterly as occurs; no goal.</i>	PLWDHI IN DANGER OF TERMINATION FOR INACTIVITY [n]	4	5	6	8	23	NG	NA
NMCM: PLWDHI fell out of medical care [n] <i>Counted quarterly as occurs/no goal.</i>	PLWDHI FELL OUT OF MEDICAL CARE [n]	0	0	0	0	0	NG	NA
NMCM: PLWDHI never linked to medical care [n] <i>Counted quarterly; no goal.</i>	PLWDHI NEVER LINKED TO MEDICAL CARE [n]	0	0	0	0	0	NG	NA
NMCM: PLWDHI not in, falling out of, or in danger of termination of care who were focus of consultation between CM & DIS [n,%]	PLWDHI NOT IN/FALLING OUT OF MEDICAL CARE DISCUSSED BY CM & DIS [n,%]	4/4, 100%	0/5, 0%	1/6, 17%	8/8, 100%	13/23, 57%	100%	↓↓

TABLE 4 ABBREVIATIONS KEY • **PLWDHI:** People Living with Diagnosed HIV Infection. **MSM:** Men who have Sex with Men. **MCM:** Medical Case Management. **NMCM:** Non-Medical Case Management. **HAART:** Highly-Active Antiretroviral Treatment. **CM:** Case Manager. **DIS:** Disease Intervention Specialist. **Q#:** Year Quarter. **YTD:** Year to Date. **NG:** No Goal, refers to services wherein a count of individuals served is reported with no expectation of reaching a specific number in 12 month grant period. **NA:** Not Applicable. **P-TO-G:** Progress-to-Goal.

Table 5. CDC CORE ACTIVITY – Goal Two, Outcome 2.3.

GOAL TWO: Provide comprehensive HIV-related prevention services for persons living with diagnosed HIV infection.								
(2)3. Outcome: Decreased risk behaviors among PLWDHI at risk for transmission	SELECTED INDICATORS	PERFORMANCE TO GOAL: ⇒ Meeting ↑ Exceeding ↓ Not Meeting						
		Q #1	Q #2	Q #3	Q #4	YTD	GOAL	P-TO-G
NMCM: PLWDHI served with NMCM this quarter [n] <i>Counted quarterly, no goal.</i>	PLWDHI SERVED w/NMCM [n]	257	260	263	262	NA	NG	NA
NMCM: PLWDHI receiving <i>Emergency Financial Assistance</i> [n] <i>Counted quarterly as occurs, no goal.</i>	PLWDHI SERVED w/NMCM RECEIVING EFA [n]	106	96	111	154	NA	NG	NA
NMCM: PLWDHI receiving <i>EFA</i> , stably housed this quarter [n,%]	PLWDHI RECEIVING EFA & STABLY HOUSED [n,%]	104/106 98%	93/96, 97%	106/111, 96%	147/154, 96%	96%	90%	↑↑
MP: Unique MSM participating in MGroup [n]	MSM PARTICIPATING IN MGROUP [n,%]	4	7	20	28	59	51	↑↑
MP: Unique MSM participating in MP+ Group [n]	MSM PARTICIPATING IN MP+ GROUP [n]	0	0	7	7	14	14	⇒
OPAC: PLWDHI served with OPAC [n] <i>Counted quarterly as occurs, no goal. Year to Date totals unique individuals served.</i>	PLWDHI SERVED w/OPAC [n]	189	192	175	180	405	NG	NA
OPAC: Unique PLWDHI receiving any OPAC, with at least 1 medical visit w/in last 12 months, annual total [n,%]	PLWDHI SERVED w/OPAC w/MEDICAL VISIT IN LAST 12 MONTHS [n,%]				405/405 100%	405/405 100%	90%	↑↑
OPAC: MSM w/HIV receiving any OPAC [n]	HIV+ MSM SERVED w/OPAC [n]	118	138	117	121	494	NG	NA
OPAC: MSM w/HIV receiving any OPAC, assessed for need for STI testing (gonorrhea/chlamydia) [n]	HIV+ MSM SERVED w/OPAC ASSESSED FOR STI TESTING FOR GON./CHL. [n,%]	118	138	114	119	489/494 99%	100%	⇒*
OPAC: MSM w/HIV receiving any OPAC, assessed for need for STI testing, received test for gonorrhea/ chlamydia [n/%]	HIV+ MSM AS ABOVE, TESTED FOR GONORRHEA/ CHLAMYDIA [n,%]	15/41 37%	19/46 41%	15/35 43%	14/38 37%	63/ 40%	50%	↓↓

OPAC: MSM w/HIV receiving any OPAC declined test for gonorrhea/chlamydia [n]	HIV+ MSM DECLINED TESTING FOR GONORRHEA/CHLAMYDIA [n]	3	4	4	1	12	NG	NA
OPAC: MSM w/HIV receiving any OPAC identified as <i>not sexually active or in mutually monogamous relationship</i> [n]	HIV+ MSM IDENTIFYING AS NOT SEXUALLY ACTIVE, OR IN MMR [n]	74	88	75	80	317	NG	NA
OPAC: MSM w/HIV receiving any OPAC, assessed for need for STI testing (syphilis) [n/%]	HIV+ MSM ASSESSED FOR STI TESTING FOR SYPHILIS [n,%]	118	138	114	119	489/494 99%	100%	⇒*
OPAC: MSM w/HIV receiving any OPAC assessed for need for STI testing received test for syphilis [n]	HIV+ MSM SERVED w/OPAC TESTED FOR SYPHILIS [n,%]	20/41, 49%	20/46, 43%	21/35, 60%	14/38, 37%	75/160, 47%	50%	⇓
OPAC: MSM w/HIV receiving any OPAC, as above, <i>declined</i> test for syphilis [n]	HIV+ MSM AS ABOVE, DECLINED TESTING FOR SYPHILIS [n/%]	3	4	4	1	12	NG	NA
OPAC: MSM w/HIV receiving any OPAC, as above, identified as <i>not sexually active or in mutually monogamous relationship</i> [n]	HIV+ MSM IDENTIFIED AS NOT SEXUALLY ACTIVE OR IN MUTUALLY MONOGOMOUS RELATIONSHIP [n/%]	74	88	75	80	317	NG	NA
OPAC: PLWDHI with suppressed viral load <200cp/ml, drawn in last 12 months [n,%]	OPAC-SERVED PLWDHI w/VIRAL LOAD <200 DRAWN w/in PAST 12 MONTHS [n,%]	410/ 435 94%	418/ 430, 97%	358/ 423, 85%	354/ 423 84%	90%	90%	⇒
OPAC: Newly diagnosed HIV+ patients prescribed antiretrovirals w/in 3 months of diagnosis [n,%]	NEWLY DIAGNOSED PRESCRIBED ARV w/in 3 MONTHS [n,%]				2/2, 100%	2/2, 100%	95%	⇑
MH: New PLWDHI receiving mental health screening [n,%]	PLWDHI RECEIVING MENTAL HEALTH SCREENING [n,%]	0 of 0/ 0%	2 of 2/ 100%	0 of 0/ 0%	2/2 100%	2/2, 100%	100%	⇒
MH: HIV+ patients receiving mental health treatment services [n] <i>Quarterly count as service occurs; no goal. Year to Date is total unique individuals served.</i>	PLWDHI RECEIVING MENTAL HEALTH TREATMENT SERVICES [n,%]	57	62	53	0	76	NA	NA
MH: HIV+ patients receiving mental health treatment services, with at least one medical visit, annual total [n,%]	PLWDHI RECEIVING MH TREATMENT w/1 MEDICAL VISIT [n,%]				76/76, 100%	76/76, 100%	100%	⇒

TABLE 5 ABBREVIATIONS KEY • **PLWDHI:** People Living with Diagnosed HIV Infection. **MSM:** Men who have Sex with Men. **TRL+:** HIV Testing, Referral, Linkage Enhanced. **PS:** Partner Services. **NMCM:** Non-medical Case Management **OPAC:** Outpatient Ambulatory Care. **MP:** Mpowerment, a CDC-endorsed high impact prevention program for MSM. **MG:** MGroup, a prevention activity of Mpowerment. **MP+:** An Mpowerment MGroup for MSM living with HIV. **MH:** Mental Health. **Q#:** Year Quarter. **YTD:** Year to Date. **NG:** No Goal, refers to services wherein a count of individuals served is reported with no expectation of reaching a specific number in 12 month grant period. **NA:** Not Applicable. **P-TO-G:** Progress-to-Goal.

Table 6. CDC CORE ACTIVITY – Goal Three, Outcome 3.1.								
GOAL THREE:		Provide comprehensive HIV-related prevention services for HIV-negative persons at risk for HIV infection.						
(3)1. Outcome: Increased referral of persons eligible for PrEP.	SELECTED INDICATORS	PERFORMANCE TO GOAL: ⇒ Meeting ↑ Exceeding ↓ Not Meeting						
		Q #1	Q #2	Q #3	Q #4	YTD	GOAL	P-TO-G
TRL+: MSM tested for HIV through TRL +, Prime Vendor Enhanced [n]	MSM TESTED [n]	0	2	0	3	5	200	↓↓
TRL+: MSM receiving PrEP referral [n,%] <i>Quarterly count as occurs; no goal.</i>	MSM w/RISK TOOL SCORE WARRANTING PrEP REFERRAL [n,%]	NA	1/2 50%	NA	2/3 67%	3/5 60%	NG	NA

Table 7. CDC CORE ACTIVITY – Goal Three, Outcome 3.2.								
GOAL THREE:		Provide comprehensive HIV-related prevention services for HIV-negative persons at risk for HIV infection.						
(3)2. Outcome: Increased prescription of PrEP to persons for whom PrEP is indicated.	SELECTED INDICATORS	PERFORMANCE TO GOAL: ⇒ Meeting ↑ Exceeding ↓ Not Meeting						
		Q #1	Q #2	Q #3	Q #4	YTD	GOAL	P-TO-G
TRL+: MSM offered referral to PrEP services, accepted referral [n] <i>Quarterly count as occurs; no goal.</i>	MSM REFERRED TO PrEP, ACCEPTING REFERRAL [n]	NA	1	NA	2	3/3, 100%	NG	NA
TRL+: MSM accepting referral to PrEP, linked to medical setting for PrEP care [n,%]	MSM REFERRED TO PrEP, LINKED [n,%]	NA	0/1, 0%	NA	0/2 0%	0/3, 0%	100%	↓↓

TABLES 6 & 7 ABBREVIATIONS KEY • **PLWDHI:** People Living with Diagnosed HIV Infection. **MSM:** Men who have Sex with Men. **TRL+:** HIV Testing, Referral, Linkage Enhanced. **PrEP:** Pre-exposure Prophylaxis. **Q#:** Year Quarter. **YTD:** Year to Date. **NG:** No Goal, refers to services wherein a count of individuals served is reported with no expectation of reaching a specific number in 12 month grant period. **NA:** Not Applicable. **P-TO-G:** Progress-to-Goal.

Table 8. CDC CORE ACTIVITY – Goal 4, Outcome 1.

GOAL FOUR: Conduct community-level HIV prevention activities.								
(4)1. Outcome: Increased access to Syringe Service Programs for persons who inject drugs (PWID).	SELECTED INDICATORS	PERFORMANCE TO GOAL: ⇒ Meeting ↑ Exceeding ↓ Not Meeting						
		Q #1	Q #2	Q #3	Q #4	YTD	GOAL	P-TO-G
SSP: Unduplicated PWID served with SSP across all sites [n] <i>Quarterly count as occurs; no goal; each individual served is counted once per quarter. Year to Date is total unique individuals served, annually.</i>	UNDUPLICATED PWID SERVED w/SSP [n]	1044	1123	509*	543*	4118	NG	NA
SSP: Unique PWID served YTD [n] <i>Quarterly count as service occurs; no goal; each individual served counted once per year. Year to Date is total unique individuals served, annually.</i>	UNIQUE PWID SERVED w/SSP YTD [n]	1044	1367	703*	1004*	4118	NG	NA
SSP: Unique PWID served, new to SSP [n] <i>Quarterly count as service occurs; no goal; each individual served counted once per year. Year to Date is total unique individuals served, annually.</i>	UNIQUE PWID SERVED, NEW to SSP [n]	164	171	179	190	704	NG	NA
SSP: All visits across all sites [n] <i>Cumulative count; no goal; every visit by every member counted.</i>	ALL VISITS/ALL SITES [n]	2549	2975	3578	3735	12,838	NG	NA
SSP: Hours of Operation, all sites [n]	HOURS [n]	2351	2292	2484	2509	9438	NG	NA
SSP: Days of Operation, all sites [n]	DAYS [n]	325	324	312	305	1491	NG	NA
SSP: PWID tested for Hepatitis C [n]	HCV TESTS [n]	9	10	17	15	51	NG	NA
SSP: PWID tested reactive for HCV [n]	REACTIVE HCV TESTS [n]	6	7	4	6	23	NG	NA
SSP: PWID served expressing readiness for MAT/SUD treatment [n] <i>Counted as occurs, no goal; individual served counted every time express readiness.</i>	MEMBERS SERVED w/INTEREST IN MAT/SUD TX [n]	67	53	52	51	223	NG	NA
SSP: PWID served expressing readiness for MAT/SUD treatment, offered referral [n,%]	PWID w/INTEREST in MAT/SUD TX REFERRED [n,%]	105	90	116	104	415/223 100%+	NG	NA
SSP: PWID referred to PrEP [n,%]	PWID REFERRED TO PrEP [n,%]	28	24	15	23	90	NG	NA
SSP: PWID referred to PrEP, linked to PrEP [n,%]	PWID REFERRED TO PrEP, LINKED [n,%]	0/28, 0%	0/24, 0%	0/15, 0%	0/23, 0%	0/90, 0%	NG	NA

TABLE 8 ABBREVIATIONS KEY • PWID: People Who Inject Drugs. **SSP:** Syringe Services Programs. **MAT/SUD TX:** Medication Assisted Treatment and Substance Use Disorder Treatment. **PrEP:** Pre-exposure Prophylaxis. **Q#:** Year Quarter. **YTD:** Year to Date. **NG:** No Goal, refers to services wherein a count of individuals served is reported with no expectation of reaching a specific number in 12 month grant period. **NA:** Not Applicable. **P-TO-G:** Progress-to-Goal.